

1. Supplement to the Compact Line Module CV 064-01-000 operating instructions, Chapter 9


1.1 Technical Data

Part-Order No..	Description	Supplementary notice
30000561	Compact Module with quick change	325V, max 3,9KW, max 16.000 min ⁻¹
30000611	Compact Module with quick change	560V, max 3,9KW, max 20.000 min ⁻¹
30000576	Compact Module with quick change 10mm stroke	325V, max 3,9KW, max 16.000 min ⁻¹
30000612	Compact Module with quick change 10mm stroke	560V, max 3,9KW, max 20.000 min ⁻¹
30000490	ER11 tool holder	Collet set (30000520)
30000492	ER16 tool holder	Collet set (30000562)
30000491	Place to keep (storage)	-
Part-Order No..	Models with Gear	Supplementary notice
30000588	Compact Module quick change with Encoder and Gear i10	325V, max30Nm, max 800 min ⁻¹
30000XXX	Customer-specific torque and stroke on request	info@tooldrives.de


Compact Module with quick change adapter

Supplement to the Compact Line Module CV 064-01-000 operating instructions, Chapter 9


Compact Module




Place to keep dimensions (storage) details:



Compact Module mit quick change




additionally 10mm stroke



Spring force adjustable
from the front from 10-75
Newton with Allen key 3

Screw on flange



For other screwing options,
see the original instructions,
Chapter 9.2 Dimension
sheets.

Compact Module quick change with Encoder and Gear i10

Sample customer specific adaption with standard quick change without stroke

